AIM FOR THE NEXT LEVEL



SHOTGUNS

ABOUTUS

Reximex was found in Konya-Beyşehir in 2015. Our founding purpose is to be able to produce world class products using the latest R&D and Manufacturing proficiency, with the guidance of our Management and Production team. In such a short time period, Reximex achieved a customer portfolio over 60 countries with the vision of never compromising from manufacturing high quality products and customer satisfaction.

Our Vision

To be one of the best arms manufacturers in the world; using the latest R&D and Manufacturing proficiency, with the guidance of our Management and Production team who has the experience in Arms Manufacturing Business over 25 years.

Our Mission

To work as a team with our Employees, Business Partners, Customers & Suppliers; in order to build a Safe, Peaceful, Honest & Democratic Environment; and keep it that way...

We have a wide product range!

We always aim to respond to the expectations of our customers at the highest level. At the same time, we are always working on launching new products by following the global end-user trends very carefully.

We design customizable products!

We analyze our customers' conditions & area of use and personal preferences; and we design products that exceeds our customers' expectations. We reveal easily customizable products that maximizes the end-user experience.

We always bring our manufacturing skills to next level and keep up with the latest technologies!

Reximex production plant uses modern & latest technology equipment in an integrated production facility of 12.000 square meters. Our Production Facility & Crew is continuously developing and expanding in accordance with our customers' needs and our future business plans.

INDEX

SEMI AUTO

| 3 |
|---------------|
| 7 |
| PUMP ACTION |
| 9 |
| 10 |
| 11 |
| 12 |
| OVER & UNDER |
| 13 |
| SINGLE BARREL |
| 15 |
| MAGAZINE FED |
| 16 |
| 17 |
| |

RS212



| System | Gas Operated Semi Auto | Gauge | 12 Ga |
|------------------------------|--|--------------------------|-------------------------------------|
| Chamber | 76mm | Available Barrel Lengths | 66cm / 71cm / 76cm |
| Receiver | Aluminum | Magazine Capacity | 5+1 |
| Stock | Synthetic - Anti-Slip Textured | Trigger Guard | TechnoPolymer |
| Recoil Pad | High Density PU Material | Weight (w/71cm Barrel) | 3.15kg |
| Fotal Length (w/71cm Barrel) | 123cm | Safety | Cross-Bolt Trigger Safety |
| Sight | Front Fiber Optic | Choke | 70mm REX Chokes C / IC / M / IM / F |
| Shim Kit | 5 Shims for Adjustment of Dropand Cast | | |



| System | Gas Operated Semi Auto | Gauge | 12 Ga |
|-------------------------------|--|--------------------------|-------------------------------------|
| Chamber | 76mm | Available Barrel Lengths | 66cm / 71cm / 76cm |
| Receiver | Anodized Aluminum | Magazine Capacity | 5+1 |
| Stock | Turkish Walnut | Trigger Guard | TechnoPolymer |
| Recoil Pad | High density PU Material | Weight (w/71cm Barrel) | 3.35kg |
| Total Length (7w/71cm Barrel) | 123cm | Safety | Cross-Bolt Trigger Safety |
| Sight | Front Fiber Optic | Choke | 70mm REX Chokes C / IC / M / IM / F |
| Shim Kit | 5 Shims for Adjusment of Drop and Cast | | |





Orange Laminated Stock




RS512





Reduces the recoil for consistent shooting experience





The two - parts receiver made from 7075 aluminum for a lightweight design.

Bolt with carburized rotating bolt head is locked into the barrel.



Unique Shims for adjustment of drop and cast provides personalized aiming



90 mm REXtra chokes for better pattern and knurled to allow for quick and easy removal or installation



Anti-Slip Textured Rubber Inlay Synthetic stock for better handling



| System | Gas Operated Semi Auto | Gauge | 12 Ga |
|------------------------------|---|--------------------------|--|
| Chamber | 76mm | Available Barrel Lengths | 66cm / 71cm / 76cm |
| Receiver | Anodized Aluminum | Magazine Capacity | 5+1 |
| Receiver | Synthetic - Rubber Inlay Anti-Slip Textured | Trigger Guard | TechnoPolymer |
| Recoil Pad | Microcell Recoil Pad | Weight (w/71cm Barrel) | 3.1kg |
| Total Length (w/71cm Barrel) | 125cm | Safety | Cross-bolt Trigger Safety |
| Sight | Front Fiber Optic | Choke | 90mm REXtra Chokes C / IC / M / IM / F |
| Shim Kit | 5 Shims for Adjusment of Drop and Cast | | |

RS412



| System | Pump Action | Gauge | 12 Ga |
|------------------------------|--|--------------------------|-------------------------------------|
| Chamber | 76mm | Available Barrel Lengths | 66cm / 71cm / 76cm |
| Receiver | Anodized Aluminum | Magazine Capacity | 5+1 |
| Stock | Synthetic - Anti-Slip Textured | Trigger Guard | TechnoPolymer |
| Recoil Pad | High Density PU Material | Weight (w/71cm Barrel) | 3.1kg |
| Total Length (w/71cm Barrel) | 123cm | Safety | Cross-Bolt Trigger Safety |
| Sight | Front Fiber Optic | Choke | 70mm REX Chokes C / IC / M / IM / F |
| Shim Kit | 5 Shims for Adjusment of Drop and Cast | | |

RS412 PATROL



| System | Pump Action | Gauge | 12 Ga |
|------------------------------|---|--------------------------|---------------------------|
| Chamber | 76mm | Available Barrel Lengths | 47cm / 51cm |
| Receiver | Anodized Aluminum | Magazine Capacity | 6+1 |
| Stock | Turkish Walnut | Trigger Guard | TechnoPolymer |
| Recoil Pad | High Density PU Material | Weight (w/71cm Barrel) | 2.0kg |
| Total Length (w/71cm Barrel) | 101cm | Safety | Cross-Bolt Trigger Safety |
| Sight | Rifle Front Sight w/Fiber Optic (mounted on Heatshield) | Choke | Fixed Choke |
| Shim Kit | 5 Shims for Adjusment of Drop and Cast | | |

RS412 GUARD









Using the M-LOK mounting system, you can mount accessories

Optional heat shield on barrel

| System | Pump Action | Gauge | 12 Ga |
|------------------------------|--|--------------------------|---------------------------|
| Chamber | 76mm | Available Barrel Lengths | 47cm / 51cm |
| Receiver | Anodized Aluminum | Magazine Capacity | 6+1 |
| Stock | Synthetic | Trigger Guard | TechnoPolymer |
| Recoil Pad | High Density PU Material | Weight (w/71cm Barrel) | 2.7kg |
| Total Length (w/71cm Barrel) | 101cm | Safety | Cross-Bolt Trigger Safety |
| Sight | Rifle Front Sight | Choke | Fixed Choke |
| Shim Kit | 5 Shims for Adjusment of Drop and Cast | | |

RS412 HD









Adjustable rear sight w/ghost ring integrated on the picatinny rail

| System | Pump Action | Gauge | 12 Ga |
|-------------------------------|--|--------------------------|---------------------------|
| Chamber | 76mm | Available Barrel Lengths | 47cm / 51cm |
| Receiver | Anodized Aluminum - Cerakoted | Magazine Capacity | 7+1 |
| Stock | Synthetic - Anti-SLip Textured | Trigger Guard | TechnoPolymer |
| Recoil Pad | High Density PU Material | Weight (w/71cm Barrel) | 2.95kg |
| Barrel Length (w/71cm Barrel) | 105cm | Safety | Cross-Bolt Trigger Safety |
| Sight | Tactical Front Sight w/Ghost Ring Rear Sight (mounted on picatinny rail) | Choke | Fixed Choke |
| Shim Kit | 5 Shims for Adjusment of Drop and Cast | | |

RS912 Over & Under





| System | Single Selective Trigger O/U w/Ejector | Gauge | 12Ga |
|------------------------|--|------------------------------|--------------------|
| Chamber | 76mm | Available Barrel Lengths | 66cm / 71cm / 76cm |
| Receiver | Steel | Stock | Turkish Walnut |
| Weight (w/71cm Barrel) | 3.3kg | Total Length (w/71cm Barrel) | 115cm |
| Safety | Top Tang Barrel Selector and Safety | Sight | Front Fiber Optic |
| Choke | 70mm REX Chokes C / IC / M / IM / F | | |

RS912 Over & Under





SBW12 Single Barrel





SBS12 Single Barrel



| System | Single Barrel, Break Action, with Hammer | Gauge | 12 GA / 16 GA / 20GA / 410 GA (36 GA) |
|--------------------------|--|----------------|---------------------------------------|
| Chamber | 76mm / 3" | Receiver | White chrome plated steel receiver |
| Stock & Forend | Wood | Barrel | Black chrome finished Ni-Cr-Mo steel |
| Available Barrel Lenghts | 20"/51cm 22"/55cm, 24"/61cm 26"/66cm, 28"/71cm | Overall Length | 43.7" / 111cm (with 28"/71cm barrel) |
| Average Weight (12Ga) | 2.5kgs / 5.5lbs | Barrel Rib | 8mm width, Ventilated |
| Available Chokes | Fixed Cylinder Bore | Sights | Brass Metal bead |

RF12 Magazine Fed





| System | Gas Operated - Semi Auto | Gauge | 12Ga |
|--------------------------|---|---------------------------|---|
| Chamber | 76mm / 3" | Receiver | Black Anodized Aluminium Alloy |
| Stock | Tactical Pistol Grip Synthetic Stock Elevation Adjustable Comb | Barrel | Hard Chrome Plated Steel |
| Available Barrel Lenghts | 51cm / 20" - 66cm / 26" | Overall Length | 76cm / 30" - 91cm / 35.8 * |
| Average Weight | 3.8kg / 8,37 lbs | Magazine Capacity Options | 2/5/10 |
| Available Chokes | F, IM, M, IC, CYL | Sights | Flip-Up Adjustable Rear Sight & Front Sight |
| Safety | Selector Switch | | |

RB12 Magazine Fed





| System | Gas Operated - Semi Auto | Gauge | 12Ga |
|--------------------------|---|---------------------------|---|
| Chamber | 76mm / 3" | Receiver | Black Anodized Aluminium Alloy |
| Stock | Tactical Bullpup Synthetic Stock Elevation Adjustable Comb | Barrel | Hard Chrome Plated Steel |
| Available Barrel Lenghts | 47 cm / 18.5" | Overall Length | 76cm / 30" |
| Average Weight | 3.8kg / 8,37 lbs | Magazine Capacity Options | 2/5/10 |
| Available Chokes | F, IM, M, IC, CYL | Sights | Flip-Up Adjustable Rear Sight & Front Sight |
| Safety | Selector Switch | | |

NOTES



| NOTES | | | Examine in more de | tail >> III |
|-------|---------------|-------|--------------------|-------------|
| | 13 | | | |
| | A STATE OF | | | |
| | M. X. | | | |
| | | W. W. | | - A |
| | W. J. L. 1981 | | | 100 |
| | 1.45.59 | | S FLERE | |
| | | | | |
| | | | | |
| | | | | |
| | | | To NV | 7 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | X | | |

AIM FOR THE NEXT LEVEL









Bayavşar Mah. 41958 Sk. No:3 42700 Beyşehir Konya - TURKEY

info@reximex.com

+90 (332) 511 00 55

+90 (332) 514 80 55





(o) P @reximexarms